




Product Specifications

Membrane Keyboard with integrated touchpad

Model: D-1603



Main features

Custom Membrane Keyboards featuring a slim, durable design, excellent tactile feedback, and reliable performance. Available with various layouts, interfaces, and graphic overlays for industrial, medical, and commercial applications.

Slim & Lightweight Design: Ultra-thin construction saves installation space and provides an attractive appearance.


Excellent Tactile Feedback: Available with metal domes or embossed keys to deliver crisp, responsive key operation.

Customizable Design: Custom layouts, colors, icons, logos, LED windows, and interface options are available to meet specific project requirements.

Durable & Reliable: High-quality PET materials and premium adhesive layers ensure long service life and stable performance.

Sealed Surface: Dust-proof and splash-resistant front surface, easy to clean and suitable for demanding environments.

Wide Application Range: Ideal for industrial control, medical devices, self-service kiosks, telecommunications, home appliances, and automation equipment.



Technical Parameter

Number of keys	94 Keys
Degree of protection	IP65
Compatible OS	Microsoft [®] Windows 98SE/ 98ME/ 2000/ XP / 7 / 8.1 / 10; Mac OS9 / OSX
Size (LWH)	420 x 150 x 6mm
Weight	≈1.3kg
Layout	English
Interface	USB, PS2
Working Voltage	5V $\pm$ 0.25
Working Current	<50mA
Operating temperature	-20° C ~ +60° C
Storage Temperature	-45° C~85° C
Cable length	2M
Standards	CE, FCC, RoHs, EN 60601-1-2
Item No.	D-1603

DIMENSIONAL DRAWING

